


WASTEWATER SYSTEM IMPROVEMENTS

SEWER SYSTEM REHABILITATION

CITY OF HARRIMAN, TENNESSEE

PRINTED: 11/25/2014 @ 10:41AM

NAME: I:\3947-Harriman Utility\01-SRF Sewer Rehab\Working Drawings\AutoCAD\Con S12-02_Rehab_asbuilt\01_3947-01-G-0-000.dwg



<u>DWG. No.</u>	<u>INDEX OF DRAWINGS</u>
G-0-001	- PROJECT LOCATION - SHEET LAYOUT PLAN, LEGENDS AND GENERAL NOTES
C-0-101	- SEWER COLLECTION SYSTEM REHABILITATION PLAN
C-0-102	- SEWER COLLECTION SYSTEM REHABILITATION PLAN
C-0-103	- SEWER COLLECTION SYSTEM REHABILITATION PLAN
C-0-104	- SEWER COLLECTION SYSTEM REHABILITATION PLAN
C-0-105	- SEWER COLLECTION SYSTEM REHABILITATION PLAN
C-0-106	- SEWER COLLECTION SYSTEM REHABILITATION PLAN
C-0-107	- PROPOSED REPLACEMENT GRAVITY SEWER
C-0-601	- SEWER LINE REHABILITATION TABULATION OF WORK
C-0-602	- MANHOLE REHABILITATION TABULATION OF WORK
C-0-501	- STANDARD SEWER REHABILITATION DETAILS
C-0-502	- STANDARD GRAVITY SEWER DETAILS
C-0-503	- STANDARD FROSION DETAILS

GRW Engineers, Inc.

Engineers, Architects, Planners

A circular registration stamp with a rope-like border. The outer ring contains the text "ROBERT G. THREADGILL" at the top and "REGISTERED ENGINEER" at the bottom. In the center, there is a small illustration of a steam engine or similar mechanical device. Below the illustration, the word "AGRICULTURE" is written. To the right of the illustration, the word "COMMERCE" is written. At the bottom of the center, the number "NO. 012645" is printed. The bottom half of the stamp features the words "STATE OF TENNESSEE". A date "12/19/2012" is stamped diagonally across the bottom left of the center area.

DECEMBER 2012


RECORD DRAWINGS

THESE RECORD DRAWINGS REPRESENT THE "AS-BUILT" PROJECT TO THE BEST OF THE ENGINEER'S KNOWLEDGE. ALTHOUGH PREPARED FROM THE CONSTRUCTION RECORD, THEY CANNOT BE GUARANTEED TO BE EXACT IN EVERY DETAIL.

CHECKED BY:

Elaine NeSmith 10/17/2014

GRW PROJECT NO. 3947-01



CONTRACT DRAWING

GRW PROJECT NO. 3847-01

ALL RIGHTS RESERVED.
THIS DOCUMENT IS THE PROPERTY OF
THE STATE OF TENNESSEE. IT IS TO BE USED
FOR OFFICIAL PURPOSES ONLY AND IS NOT
TO BE COPIED OR USED FOR CONSTRUCTION
OR OTHER PURPOSES. IT IS THE PROPERTY OF
THE STATE OF TENNESSEE AND IS TO BE
RETURNED UPON COMPLETION OF THE
PROJECT.

G-RW

GRW INC.

www.grwinc.com

PROJECT LOCATION - SHEET LAYOUT PLAN, LEGENDS AND GENERAL NOTES

REVISIONS	DESCRIPTION	DATE	BY	ACH	DRAWN:	DM	REVIEWED:	RGT	APPROVED:


THIS MARK SHOULD BE MADE EXACTLY AS WHEN PLATED

DATE: DECEMBER 2012
SCALE: AS NOTED
SHEET NO. _____

G-0-001

PROJECT LOCATION - SHEET LAYOUT PLAN


GRAPHIC SCALE
0 500 1000 2000
1 inch = 1000 feet



PLOTTED BY: esmith

PRINTED: 11/22/2014 @ 10:41 AM


E NAME: I:\3847-Harriman Utility\01-Sewer Rehab\Working Drawings\AutoCAD\DCn 512-02_Rehab_ability02_3847-01-G-0-001.lwg



HARRIMAN,
TENNESSEE


SEWER REHABILITATION STANDARD LEGEND

PIPE LINING




PIPE LINING BY CURED-IN-PLACE OR
PIPE BURSTING METHOD WITH TRENCHLESS
OR EXCAVABLE SERVICE RENEWAL/LENGTH-SIZE

POINT REPAIRS




DIRECTION AND DISTANCE FROM MANHOLE
REFERENCED IN TABULATION OF WORK CHART

REFERENCE NUMBER



ITEM NO. ON SEWER REHABILITATION TABULATION
OR WORK TABLE SEE SHEET C-0-601

MANHOLE REHABILITATION



*ITEM NO. ON MANHOLE REHABILITATION
TABULATION OF WORK SHEETS.


LETTER PRECEDING ITEM NUMBER IDENTIFIES
MINI-BASIN WHERE M.H. IS LOCATED.
C=CHRISTMAS MINI-BASIN
L=LADD MINI-BASIN
W=WALNUT MINI-BASIN

- ⑥ 0.0 TO 6.0 DEPTH
- ⑧ 6.1 TO 8.0 DEPTH
- ⑩ 8.1 TO 10.0 DEPTH
- ⑫ 10.1 TO 12.0 DEPTH
- ⑭ 12.1 TO 14.0 DEPTH
- ⑯ 14.1 TO 16.0 DEPTH
- ⑰ 16.1 TO 18.0 DEPTH
- ⑳ 18.1 TO 20.0 DEPTH
- ㉑ 20.1 TO 22.0 DEPTH
- ㉓ UNKNOWN DEPTH

ABBREVIATIONS

PP - PRIVATE PROPERTY
PE - POLYETHYLENE
PVC - POLYVINYL CHLORIDE
SL - SLIPLINING
IPR - INTERNAL POINT REPAIR
SR - SERVICE REPAIR
L - CLEAN AND LINE MANHOLE
CP - PIPE LINING BY CURED-IN-PLACE
PB - PIPE REPLACEMENT BY PIPE BURSTING
EX - PIPE REPLACEMENT BY EXCAVATION
PR - POINT REPAIR
RP - REPLACE PIPE
PLP - INTERNAL PIPE LINING PATCH
NS - NOT SEEN
NA - NOT APPLICABLE/UNKNOWN

GENERAL LEGEND



SHEET
C-0-106

GENERAL NOTES


1. THE CONTRACTOR SHALL RESTORE ALL CULVERTS, FENCES, WALLS, SMALL ORNAMENTAL TREES, CULTIVATED SHRUBS, FLOWERS, SIGNS, LIGHTS AND POWER POLES, STREET MARKERS, MAIL BOXES, WATER AND GAS LINES, WATER AND GAS METERS AND BOXES INCLUDING SHUT-OFFS, AND LAWNS DISTURBED BY CONSTRUCTION OPERATIONS TO THEIR ORIGINAL CONDITIONS. THE COST OF THIS WORK SHALL BE MERGED IN THE UNIT BID AND CONTRACT PRICES FOR THE PROPOSED WORK.
2. WHERE IN EASEMENTS THE CONTRACTOR SHALL PROTECT AND RESTORE SAID PROPERTY TO CONDITION SIMILAR OR EQUAL TO THAT EXISTING AT THE COMMENCEMENT OF CONSTRUCTION, EXCEPT AS NOTED.
3. THE LOCATION OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK IN EACH AREA. HE AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE CAUSED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UTILITIES. BEFORE CONSTRUCTION, CONTRACTOR SHALL CONTACT :
4. CONTRACTOR SHALL NOT PLACE ANY VALVES OR OTHER ABOVE GRADE DEVICES IN ANY DITCH LINE ON STATE HIGHWAY RIGHT OF WAY.
5. IF ANY EXISTING STORM SEWERS ARE SUBSTANTIALLY DAMAGED AS DETERMINED BY THE A/E AND OR OWNER, THE REPAIR SHALL BE MADE WITH R.C.P. PIPE FROM STRUCTURE-TO-STRUCTURE. PIPE SIZE SHALL BE EQUAL TO EXISTING.
6. SUFFICIENT PRECAUTIONS SHALL BE TAKEN DURING CONSTRUCTION TO MINIMIZE THE RUN-OFF OF POLLUTING SUBSTANCES SUCH AS SILT, CLAY, FUELS, OILS, BITUMENS, CALCIUM CHLORIDE, OR OTHER POLLUTING MATERIALS HARMFUL TO HUMANS, FISH OR OTHER LIFE, INTO THE SUPPLIES AND SURFACE WATERS OF THE STATE. CONTROL MEASURES MUST BE ADEQUATE TO ASSURE THAT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS ARE MET. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR ENSURING THAT THE LAWS AND REGULATIONS ARE MET AND IS RESPONSIBLE FOR ENSURING THAT CONSTRUCTION DOES NOT HARM THE WATERS OF TENNESSEE. THE PROTECTION OF THE SITE SHALL CONTINUE THROUGHOUT THE CONSTRUCTION PERIOD. SPECIAL PRECAUTIONS SHALL BE TAKEN IN THE USE OF CONSTRUCTION EQUIPMENT TO PREVENT OPERATIONS WHICH PROMOTE EROSION.
7. THE TEMPORARY POLLUTION CONTROL PROVISIONS SHALL BE COORDINATED WITH THE PERMANENT EROSION CONTROL MEASURES, TO ENSURE ECONOMICAL, EFFECTIVE, AND CONTINUOUS EROSION CONTROL THROUGHOUT THE CONSTRUCTION AND POST-CONSTRUCTION PERIOD OF THE PROJECT. NATURAL COVER SHOULD BE MAINTAINED AS LONG AS POSSIBLE AND GRADED AREAS SHOULD BE STABILIZED AS SOON AS POSSIBLE.
8. THE CONTRACTOR SHALL OBTAIN ALL PERMITS FROM THE APPROPRIATE FEDERAL STATE, COUNTY AND/OR LOCAL AGENCIES TO CROSS ALL HIGHWAYS, STREETS, STREAMS, EASEMENTS, ETC..
9. STATE HIGHWAY RIGHT-OF-WAY INFORMATION PROVIDED BY THE STATE OF TENNESSEE DEPARTMENT OF TRANSPORTATION. QUESTIONS CONCERNING R-O-W LOCATION ON ANY STATE HIGHWAY SHOULD BE REFERRED TO THE APPROPRIATE REGIONAL OFFICE OF THE STATE OF TENNESSEE DEPARTMENT OF TRANSPORTATION:
10. PROPERTY OWNERS AND PARCEL INFORMATION PROVIDED BY THE COUNTY REGISTRAR OF DEEDS.
11. WATER LINE INFORMATION PROVIDED BY THE UTILITY DISTRICT.
12. COUNTY ROAD RIGHT-OF-WAY INFORMATION PROVIDED BY THE COUNTY HIGHWAY DEPT. QUESTIONS CONCERNING R-O-W LOCATION ON ANY COUNTY ROAD SHOULD BE REFERRED TO THE COUNTY HIGHWAY DEPARTMENT.
13. LOCATION AND REFERENCE OF MANHOLES AND SEWERS HAVE BEEN APPROXIMATED FROM EXISTING PLANS OR RECORD DRAWINGS. THE CONTRACTOR SHALL VERIFY EXACT LOCATIONS AND LINE SIZE, MATERIAL, ETC.
14. EXISTING SANITARY SEWER MAPS PROVIDED BY CITY OF HARRIMAN, TN. LINE SIZES ARE NOTED IN SEWER REHABILITATION TABULATION OF WORK CHARTS.


RECORD DRAWINGS

THESE RECORD DRAWINGS REPRESENT THE "AS-BUILT" PROJECT TO THE BEST OF THE ENGINEER'S KNOWLEDGE. ALTHOUGH PREPARED FROM THE CONSTRUCTION RECORD, THEY CANNOT BE GUARANTEED TO BE EXACT IN EVERY DETAIL.

CHECKED BY:

Elaine NeSmith 10/17/2014
ENGINEER'S REPRESENTATIVE DATE






GRW PROJECT NO. 3847-01
ALL WORKS REFERRED TO IN THIS DOCUMENT ARE THE PROPERTY OF
GRW ENGINEERS INC. AND SHALL NOT
BE USED FOR CONSTRUCTION OR REFERENCE
WITHOUT THE WRITTEN PERMISSION
OF GRW ENGINEERS INC.

GRW
ENGINEERS - ARCHITECTS - PLANNERS
www.grwinc.com

SEWER COLLECTION SYSTEM REHABILITATION PLAN


SEWER SYSTEM REHABILITATION
CITY OF HARRIMAN, TENNESSEE



PLOTTED BY: ensmith

PRINTED: 11/25/2014 @ 10:38 AM



E NAME: I-3847-Harriman Utility 01-SRF Sewer Rehab/Working Drawings/AutoCADCon S12-02_RehabAssulte03_3947-01-C-0-103.dwg



PLOTTED BY: ensmith

PRINTED: 11/25/2014 @ 10:39AM

E:\NAME\13947-Harriman Utility\01-SRC Sewer Rehab\Working Drawings\AutoCAD\Con S12\02_Rehab_Basilius\03_3947-01-C-0-01-106.dwg



**SEWER COLLECTION SYSTEM
REHABILITATION PLAN
SEWER SYSTEM REHABILITATION
CITY OF HARRIMAN, TENNESSEE**

GTw
ENGINEERS - ARCHITECTS - PLANNERS
www.gtwinc.com



CONTRACT DRAWING

DESIGNED:	ACH
DRAWN:	DM
REVIEWED:	RGT
APPROVED:	RGT
DATE:	DECEMBER 2012
SCALE:	1" = 100'
NOTE:	THIS MARK SHOULD MEASURE EXACTLY 1' WHEN PLOTTED

C-0-104

SEWER COLLECTION SYSTEM REHABILITATION PLAN

SEWER SYSTEM REHABILITATION CITY OF HARRIMAN, TENNESSEE

SEWER SYSTEM REHABILITATION CITY OF HARRIMAN, TENNESSEE



CONTRACT DRAWING

100

— X —
88

— 1 —

— 1 —

— 1 —

1

1

D
S
1
S

ATE:
DECEMBER
CALE:
" = 10
EET NO.

NUMBER

1

2

SCALE CHE

1

2

0

1

04

5

RECORD DRAWINGS

USE RECORD DRAWINGS REPRESENT THE "AS-BUILT"
JECT TO THE BEST OF THE ENGINEER'S KNOWLEDGE.
THOUGH PREPARED FROM THE CONSTRUCTION RECORD,
Y CANNOT BE GUARANTEED TO BE EXACT IN EVERY
AIL.

CKED BY:

Laine NeSmith
ENGINEER'S REPRESENTATIVE


10/17/2014
DATE



PLOTTED BY: enesmith

PRINTED: 11/25/2014 @ 10:39AM

NAME: I:\3947-Harriiman Utility\01-SRF Sewer Rehab\Working Drawings\AutoCAD\Con S12-02_Rehab_asbuilt\03_3947-01-C-0-101-106.dwg





CONTRACT DRAWING

SEWER COLLECTION SYSTEM REHABILITATION PLAN


SEWER SYSTEM REHABILITATION
CITY OF HARRIMAN, TENNESSEE

GRW PROJECT NO. 3947-01


ALL RIGHTS RESERVED.
THIS DOCUMENT IS THE PROPERTY OF
THE STATE OF TENNESSEE. IT IS LOANED TO
THE ENGINEER FOR USE IN THE PERFORMANCE
OF CONTRACTS. IT MAY NOT BE COPIED,
OR USED FOR CONSTRUCTION, OR
FOR ANY OTHER PURPOSE, WITHOUT THE
WRITTEN PERMISSION OF THE STATE OF
TENNESSEE.

ENGINEERS - ARCHITECTS - PLANNERS

www.grwinc.com



RECORD DRAWINGS
THESE RECORD DRAWINGS REPRESENT THE "AS-BUILT"
PROJECT TO THE BEST OF THE ENGINEER'S KNOWLEDGE.
ALTHOUGH PREPARED FROM THE CONSTRUCTION RECORD,
THEY CANNOT BE GUARANTEED TO BE EXACT IN EVERY
DETAIL.
CHECKED BY:
Elaine NeSmith 10/17/2014
ENGINEER'S REPRESENTATIVE DATE



C-0-106

